

ALCASAR

A secured Network Access Controller (NAC)

ALCASAR is a Network Access Controller which controls the Internet consultation networks. It **authenticates**, **attributes** and **protects** users' access regardless their connected equipment (PC, tablet, smatphone). It includes network filters per users complying various needs especially **for institutions welcoming young people**. In France and in europe, ALCASAR allows people in charge of consultation networks to meet the **laws**.

- - To authenticate and control accesses
- <complex-block><list-item><list-item><list-item>

Sites filtering

ALCASAR can be installed on a small computer including two network cards. It's positioned between Internet and a consultation network. This portal is totally **independent** for both ISP's equipments and consultation network access technologies (WIFI, PLC, Ethernet, etc.). The equipments connected on the consultation network can be any type (PCs, mobile phones, tablets, game consoles, etc.). They require **no changes** in their configuration. An installation's documentation is supplied to allows a **simple** and **quick** deployment.









The main page allows users to log-off, to change their password and import the security certificate into their browser. It allows administrators to manage, in a secure way, the portal via the **Alcasar Control Center** (ACC).

ALCASAR components

- A small PC with two network cards
- Secured Linux operating system
- Dynamic firewall and filtering router
- Intercept gateway (captive portal)
- DHCP and DNS servers
- Authentication, authorization and accounting server (radius)
- Data base management system (for users base)
- Can be connected to external directory servers (LDAP or A.D.C)
- Web antivirus
- Time server
- Scripts to deploy, update and manage it
- Secured WEB control center :
 - Management of users and users groups
 - Filters management (protocols, domains, URL)
 - Backup of logs files
 - Network flows report
 - Security report

School/parental filtering functions

To meet the requirements of organizations welcoming young peoples, ALCASAR includes a filtering system by user (blacklist and whitelist) :

- Filtering based on Toulouse University list. On ALCASAR, this filter operates both on name resolution process (DNS) and on WEB browsers requests;
- Filtering search engines and Youtube results filter;
- Filtering of network protocols.

Respects the French and European laws

- European Directive 2006/24/CE about data retention.
- French law N°2004-575 consolidated in 19/05/2011 for the trust in numerical economy (resume in this document of the French Security Agency - ANSSI).
- French decret N°2011-219 about retention and communication of data that should identify somebody who has contributed to create on line data.
- Accounting compliant with needs of CNIL and CERTA (CERTA-2008-INF-005).
- Recommendations of the French security agency "ANSSI" (security pen-test).

ALCASAR is a free (GPLV3) and independent project. The developer team is managed by Richard Rey (rexy) and Franck Bouijoux (3abtux). This "ALCASAR team" consists of "senior" developers (Pascal Levant "angel95" and Stéphane Weber "steweb"), "junior" developers, technic hotliners, writers and testers identifiable on the forum. ALCASAR is also an French non-profit association created to federate the project members and to promote the open-source software. This association is member of AFUL.

Google

You Tube

metacrawler:

















(HIGH)			AL		SAR			Ì
A COM			AL	CA.	<u>SAR</u>			
Hena		-	Info	maliers Système	alcasar (292.168.182.1)		_	-
ACCUEIL SYSTEME	Informations generales du portait ALCASAR				Système			
AUTHENTIFICATION ELITRAGE Version installe Versions disponibles		✓act# 2.5.6u 92 janvier 2012 - 18925 2.4 (skable), trunk (devel)			Nan dhite canonigue Date despiration du certificat Version du noyau Date los	AK as ar Jan 1 17:58:48 2006 GMT 2:6:33 7:desktop-2mil: (SMP)		
SAUVEGARDES	Usagers connectes / inscrits Numbre de groupe(s) Fibrage protocoles réseau	3.10 0 Inactif antivirus : actif, domainiai : actif Utile-dia-02 janvier 2022 - 20159			Upline Ublicateurs	OP Mandrive Linux 2010.2 27 pors 3 heures 36 minutes 0		
Dec Présentation	Fitrage W68 Liste noire				Charge système 0.24 0.37 0.02		4	
Installation	Utilisation mémoire							
Exploitation	Type Monore Physique	Utilisation 92%				Libre 153,90 Mo	Occupé 1,76-Go ML 46 Mo	Tell 1.95 G
Accès au centre 26	- Bullers - Cached Sinne dicace		30%			3.89.60	237,54 Mo 607,98 Mo 4.24 Mo	3.90-0
depuis le 02/01/2012	Santines de Schers nortes							
	Print	Type Partition Utilization				Liber Ormet		Tall
	1 Prom	ex14	Alexinda 1	17%	3.75 Ge		L68 Me	4.80-0
	Ivar	ext4	Allewiseled	2%	21,44 Ge		U86 Me	23.19-6
	Imp	ex)4	AllewisdaT	2%	3,58 Ge		007 Me	3,85-6
	hone Awitmohavo	ex14 Insti-	Allewiseland Enville	1%	29,18 Ge 49,95 Mo		.96 Me	13,35 G

bing

VAHOO!



GnuPG

free**RADIUS**










More information on www.alcasar.net



ALCASAR can be installed on a small computer including two network cards. It's positioned between Internet and a consultation network. This portal is totally independent for both ISP's equipments and consultation network access technologies (WIFI, PLC, Ethernet, etc.). The equipments connected on the consultation network can be any type (PCs, mobile phones, tablets, game consoles, etc.). They require **no changes** in their configuration. An installation's documentation is supplied to allows a **simple** and **quick** deployment.

